



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/060,945	01/30/2002	John C. Carrick	2376.2004-000	7237
21005 7590 10/14/2008 HAMILTON, BROOK, SMITH & REYNOLDS, P.C. 530 VIRGINIA ROAD P.O. BOX 9133 CONCORD, MA 01742-9133				
EXAMINER				
KIM, DAVID S				
ART UNIT		PAPER NUMBER		
2613				
MAIL DATE		DELIVERY MODE		
10/14/2008		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/060,945

Applicant(s)

CARRICK ET AL

Examiner

DAVID S. KIM

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 June 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3,5-19,21-40 and 42-47 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3,5-19,21-40 and 42-47 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/06)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Drawings

1. Applicant's response to the objection to the drawings in the previous Office Action (mailed on 23 March 2008) is noted and appreciated. Applicant responded by amending Fig. 4A. Applicant's response overcomes the previous objection, which is presently withdrawn.

Specification

2. Applicant's response to the objection to specification in the previous Office Action (mailed on 23 March 2008) is noted and appreciated. Applicant responded by (1) withdrawing the amendment to the specification filed on 03 December 2007 (mailed or transmitted on 30 November 2007) and (2) including the reference number 431 on p. 22, l. 12-15 of the specification.

Regarding (1), notice that another amendment to the specification was filed on 16 July 2007, which also added **new matter** (noted in the previous Office Action mailed on 30 August 2007). Accordingly, the standing version of the specification still includes the **new matter** of the amendment to the specification filed on 16 July 2007. As a remedy, Examiner respectfully suggests Applicant to additionally withdraw this amendment to the specification filed on 16 July 2007. Accordingly, the **new matter** would also be withdrawn. For Applicant's convenience, the previous objection to this **new matter** is presented again below.

The amendment filed on 16 July 2007 is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows:

"In an example embodiment, the narrow band digital filters in the receivers may use a time to frequency transformation 431. For example, a forward Fourier transform may be used to convert time data to multiple narrow band filter outputs, one of which outputs is the desired narrow band filtered signal output" (filed on 16 July 2007, p. 2).

Applicant is required to cancel the new matter in the reply to this Office Action.

Regarding (2), Examiner notes and appreciates Applicant's inclusion of the reference number 431 on p. 22, l. 12-15 of the specification, as suggested by Examiner in the previous Office Action mailed on 23 March 2008.

Claim Objections

3. Applicant's response to the objection to claim 42 in the previous Office Action (mailed on 23 March 2008) is noted and appreciated. Applicant responded by amending claim 42 so that it depends on independent claim 39. Applicant's response overcomes the previous objection, which is presently withdrawn.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

6. **Claims 1-3, 5-19, 21, 22, 24-40, and 42-47** are rejected under 35 U.S.C. 103(a) as being unpatentable over Wong et al. (U.S. Patent No. 5,062,703, hereinafter "Wong") in view of Verhoof (EP 0 560 426 A1), Tomofuji et al. (U.S. Patent No. 5,383,046, hereinafter "Tomofuji"), So et al. ("Measuring chromatic dispersion and modal interference with an optical time-domain reflectometer", hereinafter "So"), and Akiyama et al. (U.S. Patent No. 5,982,530, hereinafter "Akiyama").

Regarding claim 1, Wong discloses:

A method for characterizing an optical transmission path in a network with network traffic, the method comprising:

modulating (col. 5, l. 3-18) an optical signal with a pilot tone and outputting the modulated optical signal onto the optical transmission path;

sweeping (col. 5, l. 6) the pilot tone across a frequency range;

detecting amplitudes and phases of the pilot tone along a forward path (e.g., forward path to DUT in Fig. 3) and a reflected path (e.g., reflected path from DUT in Fig. 3) of the optical transmission path;

determining dispersion in at least a portion of the optical transmission path (e.g., "dispersion" in col. 6, l. 4-7); and

characterizing the optical transmission path based on the detected amplitudes, phases (e.g., Figs. 5A-5B), and dispersion (e.g., determining the "dispersion" in col. 6, l. 4-7 would constitute additional characteristic information in the characterization of the optical transmission path).

Wong does not expressly disclose:

modulating a ***data traffic optical signal*** with a pilot tone and outputting the modulated optical signal onto the optical transmission path (emphasis Examiner's).

However, it is known to characterize an optical transmission path by modulating an optical signal with data ***and*** a pilot tone, as shown by Verhoof (information/data "TV" signal in Fig. 1 and measuring signal "MS" pilot tone in Fig. 1). At the time the invention was made, it would have been obvious to one of ordinary skill in the art to incorporate the modulating step of Wong with data ***and*** a pilot tone, as discussed by Verhoof. One of ordinary skill in the art would have been motivated to do this to allow one to practice the method of Wong in-service so that normal signal transmission service to subscribers continues during the method (Verhoof, col. 1, l. 50-58; col. 2, l. 45-49).

Wong in view of Verhoof does not expressly disclose:

modulating a data traffic optical signal with a pilot tone and outputting the modulated optical signal onto the optical transmission path (emphasis Examiner's).

Rather, Verhoof shows the modulation of an optical signal with the combined modulating signal of a data traffic signal and a pilot tone (Verhoof, single modulating input to modulator 2 in Fig. 1). This is one known way to modulate an optical signal with a data traffic signal and a pilot tone. However, this kind of modulation is relatively well known in the art. Moreover, there are other known ways to provide this kind of modulation, as shown by Tomofuji (e.g., 8 in Fig. 4, 50 in Fig. 9, 66 in Fig. 13, 67 in Fig. 14, 75 in Fig. 19), including modulation of a data traffic optical signal with a pilot tone (Tomofuji, e.g., 8 in Fig. 4, 66 in Fig. 13). At the time the invention was made, it would have been obvious to one of ordinary skill in the art to implement various ways to modulate an optical signal with a data traffic signal and a pilot tone, including modulation of a data traffic optical signal with a pilot tone. One of ordinary skill in the art would have been motivated to do this to provide at least design flexibility. Moreover, notice that Applicant's own disclosure also discusses multiple ways to modulate an optical signal with a data traffic signal and a pilot tone (Applicant's specification, p. 9, l. 16-23, p. 18-19, bridging paragraph) without highlighting any particular way as a particularly inventive way of doing so. These multiple ways correspond closely to the ways shown in Verhoof and Tomofuji.

Wong in view of Verhoof and Tomofuji does not expressly disclose:

determining dispersion in at least a portion of the optical transmission path ***based on the detected amplitudes and phases.***

Rather, Wong broadly discloses determining dispersion (e.g., "dispersion" in col. 6, l. 4-7). It is known that there are various types of dispersion, such as chromatic dispersion and modal dispersion. The usage of a reflectometer to determine chromatic dispersion is known in the art, as exemplified by So (abstract, p. 2110-2111, section 2 Chromatic Dispersion). There is a variety of known ways to determine dispersion, and Akiyama also provides a suitable example (e.g., the principle of Fig. 16(B) according to the equation of col. 11, l. 5-13). For example, notice that Akiyama teaches that one may use the length value of an optical transmission path to determine the dispersion of that optical transmission path (col. 11, l. 5-13, col. 13, l. 24-25). Wong teaches the determination of the length value of an optical transmission

Art Unit: 2613

line (col. 9, l. 51 – col. 10, l. 7, col. 10, l. 59-68) through the use of detected amplitude and phase information (col. 10, l. 64-68) of a swept pilot tone (modulation frequencies w_m of modulation source 20, col. 5, l. 4-6, col. 7, l. 11-13, are used in the length determination, e.g., col. 9, l. 58-65) along a forward path (e.g., “incident” in col. 8, l. 19-22, col. 10, l. 22) and a reflected path (e.g., “reflected” in col. 8, l. 19-22, col. 10, l. 22-23) of the optical transmission line. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to implement some kind of detailed way to provide the dispersion determination of Wong, e.g., the example of Akiyama. One of ordinary skill in the art would have been motivated to do this since Wong is relatively silent about how to actually implement its determination of dispersion. That is, So and Wong suitably speak into this silence with details for such an implementation. Moreover, another motivation would be to extend the measurement capability of Wong to expressly include the measurement of chromatic dispersion (So, p. 2110, col. 2, end of 1st paragraph).

As described above, the prior art of record would disclose “determining dispersion in at least a portion of the optical transmission path **based on the detected amplitudes and phases**” since the dispersion determination of Akiyama would be based on the length value of Wong, which would be based on the detected amplitudes and phases of Wong.

Regarding claim 2, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the characterizing includes determining at least one impairment (Wong, col. 6, l. 4-36) in the optical transmission path.

Regarding claim 3, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 2 wherein the optical transmission path is a fiber; and the determining includes determining a disconnection, crimp, obstruction, defect, or assembly error (Wong, col. 6, l. 4-36).

Regarding claim 5, Wong in view of Verhoof, Tomofuji, So, and Akiyama does not expressly disclose:

The method as claimed in claim 1 further including automatically correcting the dispersion.

Art Unit: 2613

It is known that chromatic dispersion is a limiting parameter on transmission length and bit rate (So, p. 2110, col. 2, beginning of middle paragraph). Accordingly, the field is full of teachings for compensation of chromatic dispersion. Moreover, automatic correction of dispersion is a well-known technique in the art. For example, Akiyama teaches such automatic correction after the dispersion is measured (Akiyama, e.g., Figs. 21(A)-(B), 22(A)-(B), 24(A)-(B), 25(A)-(B), 26, 27(A)-(B)). At the time the invention was made, it would have been obvious to one of ordinary skill in the art to implement some means for automatically correcting the dispersion detected by Wong in view of Verhoof, Tomofuji, So, and Akiyama. One of ordinary skill in the art would have been motivated to do this since dispersion can change with time (Akiyama, col. 2, l. 19-24). Automatic correction provides precise compensation (Akiyama, e.g., col. 32, l. 5-13), which facilitates higher transmission speeds (Akiyama, col. 1, l. 56-62; col. 32, l. 5-13).

Regarding claim 6, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the detecting is co-located (Wong, e.g., under one reading of "co-location", notice co-location of 16A and 16B in Figs. 2-3 within the bounds of a local area).

Regarding claim 7, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the detecting is non-co-located across a length of the optical transmission path having a known characteristic (Wong, e.g., under another reading of "co-location", notice that 16A and 16B are separate devices in separate locations, non-co-located).

Regarding claim 8, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the sweeping of the pilot tone maximizes the spatial resolution of the measurements (Wong, col. 11, l. 16-25).

Regarding claim 9, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 8 wherein the sweeping ranges between about 0.5 MHz and about 2.5 MHz (Wong, col. 5, l. 4-18 teaches a range that encompasses this range).

Regarding claim 10, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the sweeping includes selecting modulation frequencies essentially absent coherent modulations on the optical signal (Wong, the range of col. 5, l. 4-

Art Unit: 2613

18 includes Applicant's range, which includes modulation frequencies that are essentially absent coherent modulations on the optical signal).

Regarding claim 11, Wong in view of Verhoof, Tomofuji, So, and Akiyama does not expressly disclose:

The method as claimed in claim 1 wherein the detecting of the pilot tone includes filtering the detected optical signal with a bandwidth sufficiently narrow to reject noise while preserving the pilot tone in a manner supporting accuracy requirements.

However, it is known to practice frequency domain reflectometry methods in environments that would employ such filtering. For example, Verhoof teaches the use of frequency domain reflectometry in optical fiber networks. In particular, notice that the reflectometer operates in-service, i.e., during normal signal transmissions (col. 1, l. 50-58). Accordingly, the reflected signal will include the pilot tone and additional spectral components from the normal signal transmissions. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to filter the detected optical signal as claimed above. One of ordinary skill in the art would have been motivated to do this to filter out the additional spectral components from the normal signal transmissions, which could interfere with the detection and processing of the desired reflected pilot tone.

Regarding claim 12, Wong in view of Verhoof, Tomofuji, So, and Akiyama teaches a resolution of 1 Hz (Wong, col. 5, l. 5).

Regarding claim 13, Wong in view of Verhoof, Tomofuji, So, and Akiyama teaches filtering through computation (Wong, col. 6, l. 46-59), which implies filtering through a digital processor. Such digital processor filters are known to be adaptable.

Regarding claim 14, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the characterizing is based on a relative measurement of amplitudes and phases (Wong, note the comparison of the amplitudes and phases in 24 of Fig. 3).

Regarding claim 15, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the optical transmission path is a fiber (Wong, col. 4, l. 66).

Art Unit: 2613

Regarding claim 16, Wong in view of Verhoof, Tomofuji, So, and Akiyama does not expressly disclose:

The method as claimed in claim 1 used in a wavelength division multiplexed or time division multiplexed system.

However, wavelength division multiplexing and time division multiplexing are extremely well known techniques commonly applied in optical fiber networks. At the time the invention was made, it would have been obvious to one of ordinary skill in the art to implement either or both of these techniques in the method of Wong in view of Verhoof, Tomofuji, So, and Akiyama. One of ordinary skill in the art would have been motivated to do this since these techniques are common ways to increase the number of communication channels, which increases the amount of traffic that is transmitted through the network.

Regarding claim 17, claim 17 is an apparatus claim that corresponds largely to the method claim 1. Therefore, the recited steps in method claim 1 read on the corresponding means in apparatus claim 17. Claim 17 also includes limitations absent from claim 1. Wong in view of Verhoof, Tomofuji, So, and Akiyama also discloses these limitations:

the optical transmission path carrying network traffic (Verhoof, col. 1, l. 50-58).

Regarding claims 18-19 and 21, claims 18, 19, and 21 are apparatus claims that introduce limitations that correspond to the limitations introduced by method claims 2, 3, and 5, respectively. Therefore, the recited steps in method claims 2-3 and 5 read on the corresponding means in apparatus claims 18-19 and 21.

Regarding claim 22, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The apparatus as claimed in claim 17 wherein the detection unit includes at least one optical detector (Wong, e.g., 16A or 16B in Fig. 3) that senses the pilot tone and provides a corresponding electrical signal.

Regarding claim 24, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The apparatus as claimed in claim 22 further including at least one receiver coupled to each optical detector to convert the electrical signal to digital data (Wong, implied by "digital signal processing" in col. 5, l. 62-64).

Art Unit: 2613

Regarding claim 25, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The apparatus as claimed in claim 24 wherein the processing unit employs a frequency to time transformation to assist in characterizing the optical transmission path (Wong, Figs. 5A-5B).

Regarding claim 26, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The apparatus as claimed in claim 24 wherein the processing unit executes a time-to-frequency transformation to assist in characterizing the optical transmission path (e.g., Wong, col. 6 l. 56 and col. 10, l. 61, a "Fourier transform" is a time-to-frequency transformation).

Regarding claims 27-36, claims 27, 28, 29, 30, 31, 32, 33, 34, 35, and 36 are apparatus claims that introduce limitations that correspond to the limitations introduced by method claims 6, 7, 8, 9, 10, 11, 12, 13, 14, and 16, respectively. Therefore, the recited steps in method claims 6-14 and 16 read on the corresponding means in apparatus claims 27-36.

Regarding claim 37, claim 37 is an apparatus claim that introduces limitations that correspond to the limitations introduced by apparatus claim 17. Therefore, the recited means in apparatus claim 17 read on the corresponding means in apparatus claim 37.

Regarding claim 38, claim 38 is a computer-readable medium claim that introduces limitations that correspond to the limitations introduced by apparatus claim 17. Therefore, the recited means in apparatus claim 17 read on the corresponding steps in computer-readable medium claim 38.

Regarding claims 39-40 and 42-45, claims 39, 40, 42, 43, 44, and 45 are system claims that introduce limitations that correspond to the limitations introduced by claims 17, 18, 21, 31, 15, and 36, respectively. Therefore, the recited limitations in claims 15, 17-18, 21, 31, and 36 read on the corresponding means in system claims 39-40 and 42-45.

Regarding claim 46, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The method as claimed in claim 1 wherein the modulating includes modulating the amplitude of the data traffic optical signal at about 4% of a total amplitude of the optical signal (Tomofuji, "about 4%" is within the scope of "several percent" known and practiced in the art, col. 1, l. 41, col. 2, l. 14).

Art Unit: 2613

Regarding claim 47, claim 47 is an apparatus claim that introduces limitations that correspond to the limitations introduced by method claim 46. Therefore, the recited steps in method claim 46 read on the corresponding means in apparatus claim 47.

7. Claim 23 is rejected under 35 U.S.C. 103(a) as being unpatentable over Wong in view of Verhoof, Tomofuji, So, and Akiyama, as applied to claim 22 above, and further in view of Lemus et al. (U.S. Patent No. 6,111,676, hereinafter "Lemus").

Regarding claim 23, Wong in view of Verhoof, Tomofuji, So, and Akiyama discloses:

The apparatus as claimed in claim 22 further including a dual coupler (Wong, e.g., 26 in Fig. 3) coupled to the optical transmission path and connected to each optical detector, wherein the dual coupler provides between about 2% and 5% (known in the art, as shown by Lemus, col. 4, l. 16-19) of the optical signal to the at least one optical detector.

Response to Arguments

8. Applicant's arguments filed on 23 June 2008 have been fully considered but they are not persuasive. Applicant states:

Remarks Regarding the Claims:

Claim 1 recites "...sweeping the pilot tone across a frequency range; detecting amplitudes and phases of the pilot tone along a forward path and a reflected path of the optical transmission path; [and] determining dispersion in at least a portion of the optical transmission path based on the detected amplitudes and phases..." (emphasis added). Applicants note that the remaining independent Claims 17 and 37-39 also include the above highlighted elements. Applicants further note that dispersion determination through the use of detected amplitudes and phases along a forward and reflected path is in accordance with optical frequency domain reflectometry (OFDR).

(REMARKS, p. 12, emphasis Applicant's).

The Claims Patentably Distinguish from the Combination of the Cited References

The Office Action asserts that, based on the combination of the above described references, it would be obvious to one of skill in the art to determine dispersion based on detected amplitudes and phases. Applicants respectfully disagree. All of the cited references which discuss dispersion determination (Wong, So, and Akiyama) teach dispersion determination methods involving *pulsed signals* and measuring *time intervals* of the received *pulsed signals*. Applicants respectfully assert that the cited references teach dispersion determination through the use of optical *time* domain reflectometry (OTDR). No where in any of the cited references is dispersion determination through the detection of amplitudes and phases, as is in accordance with optical *frequency* domain reflectometry (OFDR), taught or suggested. While Wong does discuss measuring the periodicity and amplitude of a ripple component, this is discussed in the context of discontinuity location and *not* dispersion determination. In fact, Wong specifically teaches the use of measuring *pulse* dispersion in column 6, lines 4-10.

No combination of the cited references teach or suggest "...sweeping the pilot tone across a frequency range; detecting amplitudes and phases of the pilot tone along a forward path and a reflected path of the optical transmission path; [and] determining dispersion in at least a portion of the optical transmission path based on the detected amplitudes and phases..." as recited by Claim 1. The combination of the above cited references would result in a dispersion determination method based on optical time domain reflectometry (OTDR).

(REMARKS, p. 13-14, emphasis Applicant's).

Regarding Applicant's focus on optical frequency domain reflectometry, notice that the claim language does not expressly disclose "optical frequency domain reflectometry". Accordingly, this portion of Applicant's arguments is not persuasive. If Applicant considers the addition of "optical frequency domain reflectometry" to the step of "determining dispersion in at least a portion of the optical transmission path based on the detected amplitudes and phases" in claim 1 to be patentably distinguishable from the prior art of record, then Examiner encourages Applicant to expressly add it to the claim language. Otherwise, "optical frequency domain reflectometry" is not given weight.

Regarding Applicant's focus on the following claim limitations, Examiner respectfully presents the following mapping of teachings from the prior art of record:

"...sweeping the pilot tone across a frequency range (Wong, "signal that can be swept from 300 kHz to 3 GHz" in col. 5, l. 6);

detecting amplitudes and phases (Wong, "amplitude and phase information" in col. 10, l. 64-68) of the pilot tone (Wong, modulation frequencies w_m of modulation source 20, col. 5, l. 4-6, col. 7, l. 11-13) along a forward path (Wong, e.g., forward path to DUT in Fig. 3; e.g., "incident" in col. 8, l. 19-22, col. 10, l. 22) and a reflected path (Wong, e.g., reflected path from DUT in Fig. 3; e.g., "reflected" in col. 8, l. 19-22, col. 10, l. 22-23) of the optical transmission path; [and]

determining dispersion in at least a portion of the optical transmission path based on the detected amplitudes and phases... (the dispersion determination of Akiyama (notice that Akiyama teaches that one may use the length value of an optical transmission path to determine the dispersion of that optical transmission path (col. 11, l. 5-13, col. 13, l. 24-25)) would be based on

Art Unit: 2613

the length value of Wong (col. 9, l. 51 – col. 10, l. 7, col. 10, l. 59-68), which would be based on the detected amplitudes and phases of Wong ("amplitude and phase information" in col. 10, l. 64-68))."

See the treatment of claim 1 above for further details. In view of this mapping of teachings from the prior art of record, Examiner respectfully maintains that this subject matter of claim 1 is unpatentable.

Applicant's focus on OTDR is noted and appreciated, but Examiner respectfully notes that the claim language is not sufficiently narrow to exclude OTDR. Accordingly, this portion of Applicant's arguments is not persuasive.

Summarily, Applicant's arguments are not persuasive. Accordingly, Examiner respectfully maintains the standing rejections.

Conclusion

9. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID S. KIM whose telephone number is (571)272-3033. The examiner can normally be reached on Mon.-Fri. 9 AM to 5 PM (EST).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kenneth N. Vanderpuye can be reached on 571-272-3078. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2613

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/D. S. K./
Examiner, Art Unit 2613

/Kenneth N Vanderpuye/
Supervisory Patent Examiner, Art Unit 2613